



091896967

COPY
#Docket No.: 30203/37386
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Evren Eryurek et al.

Patent No.: 6,975,219

Issued: December 13, 2005

For: ENHANCED HART DEVICE ALERTS IN A
PROCESS CONTROL SYSTEM

Certificate

FEB 14 2007

of Correction**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.323**

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

On the First Page:

In the IDS dated May 20, 2003, Sheet 4, Reference 129, PTO error, "Diagnosites" should be -- Diagnostics --.

On Page Three:

In the Supplemental IDS dated July 1, 2003, Sheet 1, Other Documents, sole reference, PTO error, please add -- International Search Report for PCT/US02/15901, issued June 17, 2003 --.

In the IDS dated February 25, 2005, Sheet 3, Reference 82, PTO error, "PCT" should be -- PCT --.

FEB 16 2007

02/13/2007 FHETK12 00000014 6975219

100.00 OP

01 FC:1811

In the IDS dated February 25, 2005, Sheet 3, Reference 87, PTO error, "Wemwe" should be -- Wernwe --.

In the Specification:

At page 8, line 7, Applicant error, "includes" should be -- include --.

At page 25, line 14, Applicant error, "ADVISE-ALM" should be -- ADVISE_ALM --.

At page 27, line 22, Applicant error, "to great or to small" should be -- too great or too small --.

At page 27, line 23, Applicant error, "to high or to low" should be -- too high or too low --.

At page 29, line 19, Applicant error, "arms" should be -- alarms --.

The errors were found in the application as filed by applicant. Our check in the amount of \$100.00 covering the fee set forth in 37 CFR 1.20(a) is enclosed.

The errors now sought to be corrected are inadvertent typographical errors the correction of which does not involve new matter or require reexamination.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter

FEB 16 2007

Patent No.: 6,975,219

Docket No.: 30203/37386

filed in this application by this firm) to our Deposit Account No. 13-2855, under Order No. 30203/37386. A duplicate copy of this paper is enclosed.

Dated: February 8, 2007

Respectfully submitted,

By 

Roger A. Heppermann,

Registration No.: 37,641

MARSHALL, GERSTEIN & BORUN LLP

233 S. Wacker Drive, Suite 6300


Sears Tower

Chicago, Illinois 60606-6357

(312) 474-6300

Attorney for Applicants

FEB 16 2007



Docket No.: 30203/37386
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Evren Eryurek et al.

Patent No.: 6,975,219

Issued: December 13, 2005

For: ENHANCED HART DEVICE ALERTS IN A
PROCESS CONTROL SYSTEM

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.323**

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

On the First Page:

In the IDS dated May 20, 2003, Sheet 4, Reference 129, PTO error, "Diagnosites" should be -- Diagnostics --.

On Page Three:

In the Supplemental IDS dated July 1, 2003, Sheet 1, Other Documents, sole reference, PTO error, please add -- International Search Report for PCT/US02/15901, issued June 17, 2003 --.

In the IDS dated February 25, 2005, Sheet 3, Reference 82, PTO error, "Pct" should be -- PCT --.

FEB 16 2007

In the IDS dated February 25, 2005, Sheet 3, Reference 87, PTO error, "Wemwe" should be -- Wernwe --.

In the Specification:

At page 8, line 7, Applicant error, "includes" should be -- include --.

At page 25, line 14, Applicant error, "ADVISE-ALM" should be -- ADVISE_ALM --.

At page 27, line 22, Applicant error, "to great or to small" should be -- too great or too small --.

At page 27, line 23, Applicant error, "to high or to low" should be -- too high or too low --.

At page 29, line 19, Applicant error, "arms" should be -- alarms --.

The errors were found in the application as filed by applicant. Our check in the amount of \$100.00 covering the fee set forth in 37 CFR 1.20(a) is enclosed.

The errors now sought to be corrected are inadvertent typographical errors the correction of which does not involve new matter or require reexamination.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter

Patent No.: 6,975,219

Docket No.: 30203/37386

filed in this application by this firm) to our Deposit Account No. 13-2855, under Order No. 30203/37386. A duplicate copy of this paper is enclosed.

Dated: February 8, 2007

Respectfully submitted,

By 

Roger A. Heppermann

Registration No.: 37,641

MARSHALL, GERSTEIN & BORUN LLP

233 S. Wacker Drive, Suite 6300

Sears Tower

Chicago, Illinois 60606-6357

(312) 474-6300

Attorney for Applicants

FEB 16 2007

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6,975,219
APPLICATION NO. : 09/896,967
ISSUE DATE : December 13, 2005
INVENTOR(S) : Evren Eryurek et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the First Page:

At line (56), Other Publications, 2nd Reference, "Diagnositcs" should be -- Diagnostics --.

On Page Three:

At line (56), Other Publications, please add -- International Search Report for PCT/US02/15901, issued June 17, 2003 --.

At line (56), Other Publications, 15th Reference on p. 3, "Pct" should be -- PCT --.

At line (56), Other Publications, 20th Reference on p. 3, "Wernwe" should be -- Wernwe --.

In the Specification:

At Column 5, line 19, "includes" should be -- include --.

At Column 15, lines 2-3, "ADVISE-ALM" should be -- ADVISE_ALM --.

At Column 16, line 21, "to great or to small" should be -- too great or too small --.

At Column 16, line 23, "to high or to low" should be -- too high or too low --.


At Column 17, line 27, "arms" should be -- alarms --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Roger A. Heppermann
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

1

FEB 16 2007



Under the Paperwork Reduction Act of 1995, no person are required to respond to a collection of information unless it displays a valid OMB control number.

Effective on 12/08/2004. Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818). FEE TRANSMITTAL For FY 2006		Complete if Known	
		Application Number	Patent#: 6,975,219
		Filing Date	Issued: December 13, 2005
		First Named Inventor	Evren Eryurek
		Examiner Name	D. C. Pope
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27	Art Unit	2635	
TOTAL AMOUNT OF PAYMENT	(\$) 100.00	Attorney Docket No.	30203/37386

METHOD OF PAYMENT (check all that apply)

☒ Check ☐ Credit Card ☐ Money Order ☐ None ☐ Other (please identify): _____

☐ Deposit Account Deposit Account Number: 13-2855 Deposit Account Name: MARSHALL, GERSTEIN & BORUN LLP

For the above-identified deposit account, the Director is hereby authorized to: (check all that apply)

☐ Charge fee(s) indicated below ☐ Charge fee(s) indicated below, except for the filing fee

☐ Charge any additional fee(s) or underpayments of fee(s) under 37 CFR 1.16 and 1.17 ☒ Credit any overpayments

FEE CALCULATION

1. BASIC FILING, SEARCH, AND EXAMINATION FEES

Application Type	FILING FEES		SEARCH FEES		EXAMINATION FEES		Fees Paid (\$)
	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	
Utility	300	150	500	250	200	100	
Design	200	100	100	50	130	65	
Plant	200	100	300	150	160	80	
Reissue	300	150	500	250	600	300	
Provisional	200	100	0	0	0	0	

2. EXCESS CLAIM FEES

Fee Description	Fee (\$)	Small Entity Fee (\$)
Each claim over 20 (including Reissues)	50	25
Each independent claim over 3 (including Reissues)	200	100
Multiple dependent claims	360	180

Total Claims **Extra Claims** **Fee (\$)** **Fee Paid (\$)**

HP = highest number of total claims paid for, if greater than 20.

Indep. Claims **Extra Claims** **Fee (\$)** **Fee Paid (\$)**

HP = highest number of independent claims paid for, if greater than 3.

3. APPLICATION SIZE FEE

If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listings under 37 CFR 1.52(e)), the application size fee due is \$250 (\$125 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).

Total Sheets	Extra Sheets	Number of each additional 50 or fraction thereof	Fee (\$)	Fee Paid (\$)
_____	_____	_____	_____	_____

_____ - 100 = _____ / 50 _____ (round up to a whole number) x _____ = _____

4. OTHER FEE(S)

	Fees Paid (\$)
Non-English Specification, \$130 fee (no small entity discount)	
Other (e.g., late filing surcharge): 1811 Certificate of correction	100.00

SUBMITTED BY			
Signature		Registration No. (Attorney/Agent)	37,641
Name (Print/Type)	Roger A. Heppermann	Telephone	(312) 474-6300
		Date	February 8, 2007

FEB 16 2007